




Signal  
to  
the world



**CCTV**  
**Surveillance**  
**Solutions**

# CCTV Surveillance Solutions



## CCTV coaxial cable description

Surveillance is a primary function in safety and security for many environments such as schools, hospitals, hotels, malls, airports, stations, casinos, prisons, businesses and personals.

The selection of cameras and other electronics equipment is a primary concern, but the link between the electronics should be taken with extreme caution.

ZION COMMUNICATION provides CCTV coaxial cables from short run applications to the most critical long distance applications. Our CCTV coaxial cables offer optimum performance for main distribution use in video surveillance systems where extended cable runs are required.

Our CCTV coaxial cables are available to support most main video surveillance solution brand, such as SONY, HONEYWELL, ARIX, HIKVISION, DAHUA, HELLOSIGNAL and more.

All CCTV Coaxial cables from ZION COMMUNICATION comply with International standards within the industry. And ZION COMMUNICATION CCTV coaxial cable are available as UL and with a CM, CMR or CMP rating, and CPR certificates.

## Why chose us as your partner?

**Price** : We can supply you ultimate reasonable factory price of the CCTV coaxial cable itself.

**Service** : Our export team can give best service on price for import and export, shipping time, documents and custom policy, which will save cost ultimately and create biggest value for you.

**Quality** : Guarantee: Our workers do 100% quality pass testing before we send to our customers; also we are responsible for all products during its normal lifetime.



**HELLOSIGNAL**<sup>TM</sup>  
www.zion-communication.com



# RG6 U CCTV COAXIAL CABLE

P1

Catalog No.	Cond.Type &Nom.D.C.R	Shielding	Shielding& %Coverage	Jacket Type	Nom. Capacitance	Nom.Imp. $\Omega$	
RG6/U S BC 95% BC PVC NO.7100061	18AWG(Solid)B C 21.2 $\Omega$ /km	B.Al/PET	BC-Braid 95%	PVC	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	
RG6/U S BC 95% CCA PVC NO.7100062	18AWG/1.02mm BC 21.2 $\Omega$ /km	B.Al/PET	CCA-Braid 60%	PVC	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	
RG6/U S BC 95% BC UV-PE NO.7100063	18AWG/1.02mm BC 21.2 $\Omega$ /km	B.Al/PET	BC-Braid 95%	UV-PE	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	


# RG59 U CCTV COAXIAL CABLE

Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Jacket Type	Nom. Capacitance	Nom.Imp. $\Omega$	
RG59 BC 95% BC PVC CM NO.7100161	20AWG(SOL)BC 33.4 $\Omega$ /km	Foamed PE	BC-Braid 95%	PVC CM	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	
RG59 BC 95% BC PVC CMR NO.7100162	20AWG(SOL)BC 33.4 $\Omega$ /km	Foamed PE	BC-Braid 95%	PVC CMR	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	
RG59 BC 95% BC PVC CMP NO.7100163	20AWG(SOL)BC 33.4 $\Omega$ /km	Foamed PE	BC-Braid 95%	PVC CMP	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	
RG59 BC 95% CCA PVC CM NO.7100164	20AWG(SOL)BC 33.4 $\Omega$ /km	Foamed PE	CCA-Braid 95%	PVC CM	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	
RG59 BC 95% CCA PVC CMR NO.7100165	20AWG(SOL)BC 33.4 $\Omega$ /km	Foamed PE	CCA-Braid 95%	PVC CMR	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	
RG59 BC 95% CCA PVC CMP NO.7100166	20AWG(SOL)BC 33.4 $\Omega$ /km	Foamed PE	CCA-Braid 95%	PVC CMP	52 $\pm$ 3pF/m	75 $\pm$ 3 $\Omega$	

# RG59 U CCTV COAXIAL CABLE

P2

Catalog No.	Cond. Type & Nom.D.C.R	Dielectric	Shielding & %Coverage	Jacket Type	Nom. Capacitance	Nom. Imp. Ω
RG59 B/U BC 95% BC PVC NO.7100167	23AWG/0.58mm BC 65.26 Ω/km	Soild PE	BC-Braid 95%	PVC	67±2 pF/m	75±3Ω
RG59 B/U BC 95% CCA PVC NO.7100168	23AWG /0.58mm BC 65.26 Ω/km	Soild PE	CCA-Braid 95%	PVC	67±2 pF/m	75±3Ω
RG59 B/U BC 95% BC PE NO.7100169	23AWG/0.58mm BC 65.26 Ω/km	Soild PE	BC-Braid 95%	PE	67±2 pF/m	75±3Ω
RG59 B/U BC 95% CCA PE NO.7100170	23AWG/0.58mm BC 65.26 Ω/km	Soild PE	CCA-Braid 95%	PE	52±2 pF/m	75±3Ω
RG59 Micro 95% CCA PVC NO.7100171	7×0.18mm (STR)BC 20.74 Ω/km	Soild PE	CCA-Braid 95%	PVC	67±2 pF/m	75±3Ω
RG59 ST BC 95% CCA PVC NO.7100172	22AWG/0.64mm (SOL)BC 54 Ω/km	Soild PE	CCA-Braid 95%	PVC	67±2 pF/m	75±3Ω
RG59 ST BC 85% CCA PVC NO.7100173	22AWG/0.64mm (SOL)BC 54 Ω/km	Soild PE	CCA-Braid 85%	PVC	67±2 pF/m	75±3Ω
RG59 UK BC 47% AL PVC NO.7100174	22AWG/0.70mm (SOL)BC 45 Ω/km	Foamed PE	Al-Braid 47%	PVC	52±1 pF/m	75±3Ω



**HELLOSIGNAL**<sup>TM</sup>  
www.zion-communication.com



# RG11 U CCTV COAXIAL CABLE

P3

Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Jacket Type	Nom. Capacitance	Nom.Imp. Ω
RG11/U BC FPE 95% BC PE NO.7100261	14AWG/1.63mm (SOL)BC 8.25 Ω/km	Foamed PE	BC-Braid 95%	PE	16.2±0.35 pF/ft	75±3Ω
RG11/U BC FPE 95% BC PVC NO.7100262	14AWG/1.63mm (SOL)BC 8.25 Ω/km	Foamed PE	BC-Braid 95%	PVC	16.2±0.35 pF/ft	75±3Ω
RG11/U BC FPE 95% BC Copolymer NO.7100263	14AWG/1.63mm (SOL)BC 8.25 Ω/km	Foamed PE	BC-Braid 95%	Copolymer	16.2±0.35 pF/ft	75±3Ω
PK75-3-32 NO.7100365	0.60mm (SOL)BC 63Ω/km	FPE	96/ 0.12mm CCAM	4.40mm PVC	56.5±1 pF/m	75±5 Ω
PK75-3-32A NO.7100366	0.60mm (SOL)BC 63Ω/km	FPE	64/ 0.12mm CCAM	4.40mm PVC	56.5±1 pF/m	75±5 Ω
PK75-3-32AI NO.7100366	0.60mm (SOL)BC 63Ω/km	FPE	48/ 0.12mm CCAM	4.40mm PVC	56.5±1 pF/m	75±5 Ω

# JIS C CCTV COAXIAL CABLE

Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Jacket Type	Nom. Capacitance	Nom.Imp. Ω
1.5C-2V NO.7100901	0.26mm (SOL)CCS 968Ω/km	1.6mm SPE	0.10mm×5×16 BC Braid(L=16)	2.9mmPVC	69±4 pF/m	75 ± 3 Ω
2.5C-2V NO.7100902	0.40mm (SOL)BC 145Ω/km	2.4mm SPE	0.12mm×6×16 BC Braid(L=20)	4.0mmPVC	69±4 pF/m	75 ± 3 Ω
3C-2V NO.7100903	0.50mm (SOL)BC 145Ω/km	3.1mm SPE	0.14mm×6×25 BC Braid(L=26)	5.4mmPVC	69±4 pF/m	75 ± 3 Ω
3C-2VCS NO.7100904	0.50 (SOL)CCS 91.4Ω/km	3.1mm SPE	0.14mm×6×25 BC Braid(L=26)	5.4mmPVC	67±3 pF/m	75 ± 3 Ω
3C-2VS NO.7100905	7×0.18mm (STR)BC 100Ω/km	3.1mm SPE	0.14mm×6×25 BC Braid(L=26)	5.4mmPVC	67±3 pF/m	75 ± 3 Ω

**HELLOSIGNAL™**

[www.zion-communication.com](http://www.zion-communication.com)



# JIS C CCTV COAXIAL CABLE

P4

Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Jacket Type	Nom. Capacitance	Nom.Imp. Ω
5C-2V NO.7100906	0.80mm (SOL)BC 35.9Ω/km	2.4mm SPE	0.14mm×7×24 BC Braid(L=42)	7.6mmPVC	67±3 pF/m	75 ± 3 Ω
5C-2W(L=42) NO.7100907	0.80mm (SOL)BC 35.9Ω/km	2.4mm SPE	0.14mm×7×24 BC Braid(L=42)	8.3mmPVC	67±3 pF/m	75 ± 3 Ω
5C-2W(L=26) NO.7100908	0.80mm (SOL)BC 35.9Ω/km	2.4mm SPE	0.14mm×7×24 BC Braid(L=26)	8.3mmPVC	67±3 pF/m	75 ± 3 Ω
7C-2V NO.7100909	7×0.40mm (STR)BC 20.7Ω/km	7.3mm SPE	0.18mm×8×24 BC Braid(L=45)	10.4mmPVC	67±3 pF/m	75 ± 3 Ω
10C-2V NO.7100910	7×0.50mm (STR)BC 13.1Ω/km	9.4mm SPE	0.20mm×10×2 4 BC Braid(L=60)	13mmPVC	67±3 pF/m	75 ± 3 Ω

# RG6 + POWER CCTV CABLE

Coaxial Cable				Power Cores					
Catalog No.	Cond.Type &Nom.D.C.R	Shielding& %Coverage	Jacket	Power Wire Cond.Type	Power wire OD of insulation	Jacket	Nom. Capacitance	Nom.Imp.Ω	
RG6/U +2C18AWG Figure 8 NO.7102001	18AWG(SOL)CC S 87 Ω/km	1.B.AI/PET 2.AL-Braid 95%	6.65mm PVC	2x18AWG/ (16*0.25mm) BC	1.9mm PE/PVC (Red,Black)	5.05mm PVC	52±3pF/m	75±3Ω	
RG6/U +2C18AWG CM Figure 8 NO.7102002	18AWG(SOL)Cu 21.2 Ω/km	1.B.AI/PET 2.BC-Braid 95%	6.65mm PVC-CM	2x18AWG/ (7*0.38mm) BC	1.9mm PVC-CM (Red,Black)	5.05mm PVC-CM	52±3pF/m	75±3Ω	
RG6/U +2C18AWG CMR Figure 8 NO.7102003	18AWG(SOL)Cu 21.2 Ω/km	1.B.AI/PET 2.BC-Braid 95%	6.65mm PVC-CMR	2x18AWG/ (7*0.38mm) BC	1.9mm PVC-CMR (Red,Black)	5.05mm PVC-CMR	52±3pF/m	75±3Ω	
RG6/U +2C18AWG CMP Figure 8 NO.7102004	18AWG(SOL)Cu 21.2 Ω/km	1.B.AI/PET 2.BC-Braid 95%	5.9mm PVC-CMP	2x18AWG/ (7*0.38mm) BC	1.6mm PVC-CMP (Red,Black)	3.8mm PVC-CMP	52±3pF/m	75±3Ω	

# RG6 + POWER CCTV CABLE

P5

Coaxial Cable				Power Cores		Overall OuterSheath		
Catalog No.	Cond.Type &Nom.D.C.R	Shielding& %Coverage	Inter Jacket	Power Wire Cond.Type	Power wire OD of insulation	Overall OuterSheath	Nom. Capacitance	Nom.Imp.Ω
RG6/U +2C18AWG Common NO.7102005	18AWG/1.02mm CCS 87 Ω/km	1.B.AL/PET 2.AL-Braid 95%	6.65mm PVC	2x18AWG/ (16*0.254mm) CCA	1.9mm PE/PVC (Red,Black)	10.15mm PE/PVC Common	52±3pF/m	75±3Ω
RG6/U +2C18AWG CM Common NO.7102006	18AWG(SOL)Cu 21.2 Ω/km	1.B.AL/PET 2.AL-Braid 95%	6.65mm PVC-CM	2x18AWG/ (16*0.25mm) BC	1.9mm PVC-CM (Red,Black)	10.15mm PVC-CM Common	52±3pF/m	75±3Ω
RG6/U +2C18AWG CMR Common NO.7102007	18AWG(SOL)Cu 21.2 Ω/km	1.B.AL/PET 2.AL-Braid 95%	6.65mm PVC-CMR	2x18AWG/ (16*0.25mm) BC	1.9mm PVC-CMR (Red,Black)	10.15mm PVC-CMR Common	52±3pF/m	75±3Ω
RG6/U +2C18AWG CMP Common NO.7102008	18AWG(SOL)Cu 21.2 Ω/km	1.B.AL/PET 2.AL-Braid 95%	5.9mm PVC-CMP	2x18AWG/ (16*0.25mm) BC	1.6mm PVC-CMP (Red,Black)	9.0mm PVC-CMP Common	52±3pF/m	75±3Ω

# RG59 + POWER CCTV CABLE

Coaxial Cable					Power Cores				
Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Jacket	Power Wire Cond.Type	Power wire OD of insulation	Jacket	Nom. Capacitance	Nom.Imp.Ω
RG59/U +2C18AWG CM Figure 8 NO.7102021	20AWG(SOL)BC 33.5 Ω/km	Foam FEP	BC-Braid 95%	6.00mm PVC-CM	2x18AWG/ (7*0.38mm) BC	1.90mm PVC-CM (Red,Black)	5.05mm PVC-CM	52±3 pF/m	75±3Ω
RG59/U +2C18AWG CMR Figure 8 NO.7102022	20AWG(SOL)BC 33.5 Ω/km	Foam FEP	BC-Braid 95%	6.00mm PVC-CMR	2x18AWG/ (7*0.38mm) BC	1.90mm PVC-CMR (Red,Black)	5.05mm PVC-CMR	52±3 pF/m	75±3Ω
RG59/U +2C18AWG CMP Figure 8 NO.7102023	20AWG(SOL)BC 33.5 Ω/km	Foam FEP	BC-Braid 95%	5.1mm PVC-CMP	2x18AWG/ (7*0.38mm) BC	1.60mm PVC-CMR (Red,Black)	3.8mm PVC-CMP	52±3 pF/m	75±3Ω

**HELLOSIGNAL™**

www.zion-communication.com



# RG59 + POWER CCTV CABLE

P6

Coaxial Cable					Power Cores				
Catalog No.	Cond.Type & Nom.D.C.R	Dielectric	Shielding & %Coverage	Jacket	Power Wire Cond.Type	Power wire OD of insulation	Jacket	Nom. Capacitance	Nom.Imp.Ω
RG59/U+2C0.5 Figure 8 NO.7102031	0.81mm (SOL)BC 33.5 Ω/km	Foam FEP	AL_MG Braid 95%	6.00mm PVC/PE/LSZH	2x (16*0.2mm CCA)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	67±2 pF/m	75±3Ω
RG59/U+2C0.75 Figure 8 NO.7102032	0.81mm (SOL)BC 33.5 Ω/km	Foam FEP	AL_MG Braid 95%	6.00mm PVC/PE/LSZH	2x (24*0.2mm CCA)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	67±2 pF/m	75±3Ω
RG59/U+2C1.0 Figure 8 NO.7102033	0.81mm (SOL)BC 33.5 Ω/km	Foam FEP	AL_MG Braid 95%	6.00mm PVC/PE/LSZH	2x (32*0.2mm CCA)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	67±2 pF/m	75±3Ω
RG59/U+2C0.78 CCA Figure 8 NO.7102034	0.81mm (SOL)BC 33.5 Ω/km	Foam FEP	CCA Braid 95%	6.00mm PVC/PE/LSZH	2x (16*0.25mm CCA)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	67±2 pF/m	75±3Ω
RG59K+2C0.5 Figure 8 NO.7102035	0.70mm (SOL)BC 54 Ω/km	Foam FEP	BC Braid 47%	6.00mm PVC/PE/LSZH	2x (24*0.15mm BC)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	67±2 pF/m	75±3Ω
RG59 B/U+2C0.50 Figure 8 NO.7102036	0.58mm (SOL)BC 54 Ω/km	Solid PE	BC Braid 95%	6.00mm PVC/PE/LSZH	2x (16*0.2mm BC)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	67±2 pF/m	75±3Ω
RG59 B/U+2C0.50 CCA Figure 8 NO.7102037	0.58mm (SOL)BC 54 Ω/km	Solid PE	CCA Braid 95%	6.00mm PVC/PE/LSZH	2x (16*0.2mm CCA)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	67±2 pF/m	75±3Ω
RG59 Micro+2C0.75 Figure 8 NO.7102040	7*0.18mm (SOL)BC 54 Ω/km	Solid PE	CCA Braid 95%	4.05mm PVC/PE/LSZH	2x (16*0.2mm CCA)	1.9mm HDPE (Red,Black)	5.05mm PVC/PE/LSZH	52±3 pF/m	75±3Ω
RG59 B/U+2C0.50 CCA Figure 8 NO.7102041	0.5mm (SOL)BC 87.6 Ω/km	Foam FEP	1.AL/PET-Foil 2.CCA -Braid 50%	5.6mm PVC/PE/LSZH	2x (16*0.2mm CCA)	2.0mm PVC (Red,Black)	5.05mm PVC/PE/LSZH	69±2 pF/m	75±3Ω
RG59CCS+2x0.75, Figure 8 NO.7102044	0.643mm (SOL)CCS 252.83 Ω/km	Foam FEP	1.AL Foil 2.AL wire	6.00mm PVC/PE/LSZH	2x (16*0.25mm CCA)	2.0mm PVC (Red,Black)	5.05mm PVC/PE/LSZH	69±2 pF/m	75±3Ω



# RG59 + POWER CCTV CABLE

P7

Coaxial Cable					Power Cores		Overall OuterSheath		
Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Inter Jacket	Power Wire Cond.Type	Power wire OD of insulation	Jacket	Nom. Capacitance & Nom.Imp.Ω	
RG59/U +2C18AWG CM Common NO.7102024	20AWG(SOL)BC 33.5 Ω/km	Foam FEP	BC-Braid 95%	6.00mm PVC-CM	2x18AWG/ (7*0.38mm) BC	1.90mm PVC-CM (Red,Black)	9.5mm PVC-CM Common	52±3pF/m 75±3Ω	
RG59/U +2C18AWG CMR Common NO.7102025	20AWG(SOL)BC 33.5 Ω/km	Foam FEP	BC-Braid 95%	6.00mm PVC-CMR	2x18AWG/ (7*0.38mm) BC	1.90mm PVC-CMR (Red,Black)	9.5mm PVC-CMR Common	52±3pF/m 75±3Ω	
RG59/U +2C18AWG CMP Common NO.7102026	20AWG(SOL)BC 33.5 Ω/km	Foam FEP	BC-Braid 95%	5.1mm PVC-CMP	2x18AWG/ (7*0.38mm) BC	1.6mm PVC-CMP (Red,Black)	7.9mm PVC-CMP Common	52±3pF/m 75±3Ω	
RG59 B/U + 2C0.75 Common Outdoor NO.7102038	0.58mm (SOL) BC 54 Ω/km	Solid PE	CCA Braid 95%	6.00mm PVC/PE/LSZH	2x (17*0.25mm BC )	2.0mm PVC (Red,Black)	9.6mm UV-PE Common	67±2pF/m 75±3Ω	
RG59 E 50% CCA + 2C0.75MM2 CCA Common NO.7102042	0.5mm (SOL) BC 87.6 Ω/km	Foam FEP	1.AI/PET-Foil 2.CCA -Braid 50%	5.6mm PVC/PE/LSZH	2x (16*0.25mm CCA )	2.0mm PVC (Red,Black)	9.1×7.1 mm PVC/PE/LSZH Common	69±2pF/m 75±3Ω	
RG59CCS +2x0.75, Common NO.7102043	0.643mm (SOL) CCS 252.83 Ω/km	Foam FEP	1.AL Foil 2.AL wire	6.00mm PVC/PE/LSZH	2x (16*0.25mm CCA )	2.0mm PVC (Red,Black)	9.5×7.5 mm PVC/PE/LSZH Common	69±2pF/m 75±3Ω	

Coaxial Cable					Power Cores		Overall OuterSheath		
Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Inter Jacket	Power Wire Cond.Type	Power wire OD of insulation	Outer Jacket	Messenger	Nom. Capacitance & Nom.Imp.Ω
RG59 B/U + 2C0.75 Common Outdoor M NO.7102039	0.58mm (SOL) BC 54 Ω/km	Solid PE	CCA Braid 95%	6.00mm PVC/PE/LSZH	2x (17*0.25mm BC )	2.0mm PVC (Red,Black)	9.6mm UV-PE Common	1.3mm Steel	67±2pF/m 75±3Ω

# 75 Ohm Coaxial Cable+Power CCTV Cable

P8

Coaxial Cable					Power Cores				
Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Jacket	Power Wire Cond.Type	Power wire OD of insulation	Jacket	Nom. Capacitance	Nom.Imp.Ω
VR-90P NO.7102051	0.64mm (SOL) BC 69.85 Ω/km	Solid PE	CCA Braid 85%	6.00mm PVC	2x (24*0.2mm CCA )	2.0mm PVC (Red,Black)	5.20mm PVC	72±2 pF/m	75±3Ω
VR-90C NO.7102052	0.64mm (SOL) BC 69.85 Ω/km	Solid PE	CCA Braid 95%	6.00mm PVC	2x (34*0.2mm CCA )	2.0mm PVC (Red,Black)	5.20mm PVC	72±2 pF/m	75±3Ω
3C-2V +2x0.35 Figure 8 NO.7102061	0.50mm (SOL)Copper 87.6 Ω/km	Foam FEP	1.AL Foil 2.CCA -Braid 48%	5.00mm PVC	2x (7*0.25mm CCA )	1.4mm PVC (Red,Black)	4.00mm PVC/PE/ LSZH	69±4 pF/m	75±3Ω
3C-2V +2x0.50 Figure 8 NO.7102062	0.50mm (SOL)Copper 87.6 Ω/km	Foam FEP	1.AL Foil 2.CCA -Braid 48%	5.00mm PVC	2x (11*0.25mm CCA )	1.6mm PVC (Red,Black)	4.40mm PVC/PE/ LSZH	69±4 pF/m	75±3Ω
3C-2V +2x0.50,Common NO.7102063	0.50mm (SOL)Copper	Foam FEP	1.AL Foil 2.CCA -Braid 48%	5.00mm PVC	2x (11*0.25mm CCA )	1.6mm PVC (Red,Black)	6.6×8.2 mm PVC/LSZH Common	69±4 pF/m	75±3Ω
RG59 40% + 3X26 AWG NO.7102102	20AWG/0.81mm (SOL)CCS 139.5 Ω/km	Foam FEP	AL -Braid 40%	5.5mm PVC	3x (10*0.12mm CCA )	0.91HDPE (Red,Black, Blue)	3.0mm PVC	72±2 pF/m	75±3Ω
RG59 67% + 2X26 AWG NO.7102103	20AWG/0.81mm (SOL)CCS 139.5 Ω/km	Foam FEP	AL -Braid 67%	6.0mm PVC	2x (10*0.12mm CCA )	0.91HDPE (Red,Black)	3.0mm PVC	72±2 pF/m	75±3Ω
RG59 67% + 3X26 AWG NO.7102104	20AWG/0.81mm (SOL)CCS 139.5 Ω/km	Foam FEP	AL -Braid 67%	6.0mm PVC	3x (10*0.12mm CCA )	0.91HDPE (Red,Black, Blue)	3.0mm PVC	72±2 pF/m	75±3Ω
RG59 90% + 2X26 AWG NO.7102105	20AWG/0.81mm (SOL)CCS 139.5 Ω/km	Foam FEP	AL -Braid 90%	6.0mm PVC	2x (10*0.12mm CCA )	0.91HDPE (Red,Black)	3.0mm PVC	72±2 pF/m	75±3Ω
RG59 90% + 3X26 AWG NO.7102106	20AWG/0.81mm (SOL)CCS 139.5 Ω/km	Foam FEP	AL -Braid 90%	6.0mm PVC	3x (10*0.12mm CCA )	0.91HDPE (Red,Black, Blue)	3.0mm PVC	72±2 pF/m	75±3Ω



**HELLOSIGNAL**<sup>TM</sup>  
www.zion-communication.com



# 75 Ohm Coaxial Cable+Power CCTV Cable P9

Coaxial Cable					Power Cores		Overall OuterSheath		
Catalog No.	Cond.Type &Nom.D.C.R	Dielectric	Shielding& %Coverage	Jacket	Power Wire Cond.Type	Power wire OD of insulation	Jacket	Nom. Capacitance	Nom.Imp.Ω
HD40+2×0.50 NO.7102131	0.42mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	3.6mm PVC	<b>2x</b> <b>(16×0.19mm CU)</b>	1.8mmPVC (Red,Black)	6.7×5.6mm PVC Common	77±3 pF/m	75±3Ω
HD40+2×0.75 NO.7102132	0.42mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	3.6mm PVC	<b>2x</b> <b>(24×0.19mm CU)</b>	2.0mmPVC (Red,Black)	7.0×5.6 mm PVC Common	77±3 pF/m	75±3Ω
NO.7102133 HD40+2×1.00	0.42mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	3.6mm PVC	<b>2x</b> <b>(32×0.19mm CU)</b>	2.0mmPVC (Red,Black)	7.4×6.0 mm PVC Common	77±3 pF/m	75±3Ω
HD60+2×0.50 NO.7102134	0.60mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	4.5mm PVC	<b>2x</b> <b>(16×0.19mm CU)</b>	1.8mmPVC (Red,Black)	7.9×6.5 mm PVC Common	52 ±3 pF/m	75±3Ω
HD60+2×0.75 NO.7102135	0.60mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	4.5mm PVC	<b>2x</b> <b>(24×0.19mm CU)</b>	2.0mmPVC (Red,Black)	8.1×6.7 mm PVC Common	52 ±3 pF/m	75±3Ω
HD70+2×0.50 NO.7102136	0.70mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	4.3mm PVC	<b>2x</b> <b>(16×0.19mm CU)</b>	1.8mmPVC (Red,Black)	7.7×6.3mm PVC Common	52 ±3 pF/m	75±3Ω
HD70+2×0.75 NO.7102137	0.70mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	4.3mm PVC	<b>2x</b> <b>(24×0.19mm CU)</b>	2.0mmPVC (Red,Black)	7.9×6.4mm PVC Common	52 ±3 pF/m	75±3Ω
HD70+2×1.00 NO.7102138	0.70mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	4.3mm PVC	<b>2x</b> <b>(32×0.19mm CU)</b>	2.2mmPVC (Red,Black)	8.1×6.5mm PVC Common	52 ±3 pF/m	75±3Ω
HD80+2×0.50 NO.7102139	0.80mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	5.0mm PVC	<b>2x</b> <b>(16×0.19mm CU)</b>	1.8mmPVC (Red,Black)	8.3×6.5mm PVC Common	52 ±3 pF/m	75±3Ω
HD80+2×0.75 NO.7102140	0.80mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	5.0mm PVC	<b>2x</b> <b>(24×0.19mm CU)</b>	2.0mmPVC (Red,Black)	8.5×6.5mm PVC Common	52 ±3 pF/m	75±3Ω
HD80+2×1.00 NO.7102141	0.80mm (SOL)Cu	Foam FEP	1.AL/Pet/Al 2.TC-Braid 70%	5.0mm PVC	<b>2x</b> <b>(32×0.19mm CU)</b>	2.2mmPVC (Red,Black)	8.7×6.5mm PVC Common	52 ±3 pF/m	75±3Ω



**HELLOSIGNAL**<sup>TM</sup>  
www.zion-communication.com



# 75 Ohm Coaxial Cable+Power CCTV Cable P10

Coaxial Cable				Power Cores		Low Capacitance Computer Cable			Overall OuterSheath
Catalog No.	Cond.Type &Nom.D.C.R	Shielding& %Coverage	Jacket	Power Wire Cond.Type	Power wire OD of insulation	Inner Cond.Type	Ins.	Jacket	Jacket
PTZ 60 +2×0.50 +2×0.22 NO.7102151	0.60mm (SOL)Cu 64.9 Ω/km	1.AL/Pet/Al 2.TC-Braid 70%	4.5mm PVC	2x (16×0.19mm CU )	1.8mmPVC (Red,Black)	2× (7×0.19 mmCU)	1.0mm PVC (R/B)	3.1mm PVC	9.5mm PVC Common
PTZ 60 +2×0.75 +2×0.22 NO.7102152	0.60mm (SOL)Cu 64.9 Ω/km	1.AL/Pet/Al 2.TC-Braid 70%	4.5mm PVC	2x (24×0.19mm CU )	2.0mmPVC (Red,Black)	2× (7×0.19 mmCU)	1.0mm PVC (R/B)	3.1mm PVC	9.9mm PVC Common
PTZ 80 +2×0.75 +2×0.22 NO.7102153	0.80mm (SOL)Cu 64.9 Ω/km	1.AL/Pet/Al 2.TC-Braid 70%	5.0mm PVC	2x (24×0.19mm CU )	2.0mmPVC (Red,Black)	2× (7×0.19 mmCU)	1.0mm PVC (R/B)	3.1mm PVC	10.8mm PVC Common
PTZ 80 +2×1.00 +2×0.22 NO.7102153	0.80mm (SOL)Cu 64.9 Ω/km	1.AL/Pet/Al 2.TC-Braid 70%	5.0mm PVC	2x (32×0.19mm CU )	2.2mmPVC (Red,Black)	2× (7×0.19 mmCU)	1.0mm PVC (R/B)	3.1mm PVC	11mm PVC Common



**HELLOSIGNAL™**  
www.zion-communication.com


**ZION**  
Communication

# Cat-Video Over UTP Cables

## Cat-Video-Power Over UTP Siamese Cables

P11

Catalog No.	Cond.Type	Inter Jacket	Cotton Rip Cord	Outer Jacket	Nom. Capacitance	Nom.Imp. Ω			
U/UTP CAT 5E BC PVC NO.7112102	4×2×(24AWG (SOL) BC )	0.91mm HDPE	Cotton Rip Cord	5.1mm PVC	46pf/KM	100			
U/UTP CAT 5E BC PVC CM NO.7112103	4×2×(24AWG (SOL) BC )	0.91mm HDPE	Cotton Rip Cord	5.1mm PVC CM	46pf/KM	100			
U/UTP CAT 5E BC PVC CM NO.7112108	4×2×(24AWG (SOL) CCA )	0.91mm HDPE	Cotton Rip Cord	5.1mm PVC	46pf/KM	185			
Catalog No.	Cond.Type	Inter Jacket	Cotton Rip Cord	Outer Jacket	Power Wire Cond.Type	Power wire OD of insulation	Outer Jacket	Nom. Capacitance	Nom.Imp.Ω
U/UTP CAT5E BC+2C18AWG PVC NO.7102302	4×2×(24AWG (SOL) BC )	0.91mm HDPE	Cotton Rip Cord	5.1mm PVC	2× (7×0.38mm BC)	1.9mm PVC (Red,Black)	5.0mm PVC	46pf/KM	100
U/UTP CAT5E BC+2C18AWG PVC CM NO.7102303	4×2×(24AWG (SOL) BC )	0.91mm HDPE	Cotton Rip Cord	5.1mm PVC CM	2× (7×0.38mm BC)	1.9mm PVC (Red,Black)	5.0mm PVC CM	46pf/KM	100
U/UTP CAT5E CCA +2C18AWG PVC NO.7102305	4×2×(24AWG (SOL) CCA )	0.91mm HDPE	Cotton Rip Cord	5.1mm PVC	2× (7×0.38mm CCA)	1.9mm PVC (Red,Black)	5.0mm PVC	46pf/KM	185



**HELLOSIGNAL**<sup>TM</sup>  
www.zion-communication.com

**ZION**  
Communication

# CCTV Accessories



**BNC male quick crimp**  
7020000



**BNC female to BNC female**  
7020001



**BNC male to double BNC female**  
7020002



**BNC male to RCA female**  
7020003



**BNC male twist on**  
7020004



**BNC male copper**  
7020005



**BNC male**  
7020006



**BNC male solderless**  
7020007



**Right Angle BNC female**  
7020008

# CCTV Accessories



BNC female w spring  
7020009



BNC male to RCA male  
7020010



Femal 2.1mmx5.5mm quick type  
7020011



Femal 2.1mmx5.5mm with  
terminal block  
7020012



Mail 2.1mmx5.5mm with  
split terminal block  
7020013



Mail 2.1mmx5.5mm with split  
terminal block  
7020014



Mail RCA with terminal block  
7020015



DC plug  
7020016



BNC Plug to double  
7020017

# CCTV Accessories



**BNC Female to double binding post**  
7020018



**RCA Female**  
7020019



**BNC Plug**  
7020020







**BNC Plug**  
7020021



**Mail 2.1mmx5.5mm+cable 2x**  
7020022



# PACKING



**HELLOSIGNAL™**  
 www.zion-communication.com

