



SECURITY ALARM CABLE CATALOG

DEAR BUSINESS PARTNERS,

ZION COMMUNICATION is a professional signal products and security system products provider. We believe on investing and building strong R&D capabilities for new technology and innovation. We have a strong R&D team and skilled workers, also with the advanced machines and modern factories which can provide our customers with outstanding quality, service. Our company keep on investing other factories and build up strong cooperation with other companies too to provide whole products and systems in signal field and security systems to satisfy customers orders inquire.

ZION COMMUNICATION 's management and international sales teams are committed to our customers' utmost satisfaction. Our experienced team experts strives to service every inquiry, quote, and order quickly and efficiently, meeting and often exceeding customers' expectations.

ZION COMMUNICATION is keep on developing in healthy and reasonable speed, and welcome to be partners of us.

Best wishes,

A handwritten signature in black ink that reads "Michael". The signature is fluid and cursive, with a long vertical stroke at the end.

Michael Xsu





Factory And Production Equipment 1



Quality Control 2



Security Alarm Cable Description 3




Security Alarm Cable products list 4



Packing 17

*CLOSE TO
CUSTOMERS.*





Factory And Production Equipment





Quality Control

Consistent quality is the key to develop long-term business relationship; therefore ZION COMMUNICATION valued consistent quality throughout every phase of manufacturing process.

From raw materials to final products, we perform intense quality checks to maintain our product quality.

Since quality is the buzz word today & each customer/consumer wants it in totality. Our quality policy & work philosophy stresses towards total customer satisfaction. We have well defined interdepartmental as well as intra Departmental Network Blocks where complete monitoring of job works is done. A well trained staff/Dedicated sales /Excelled production force all strive continuously delivering better services to the customer. An ISO-9002 certification is an affidavit to it which consolidates our verdict for quality.





MAKING QUALITY A PRIORITY

Quality Control

A highlight of ZION COMMUNICATION is its emphasis on Quality Control, Quality Audit and Quality Assurance in the spheres of manufacturing activities and service, i.e. from RAW MATERIAL TO FINAL PRODUCTS to CUSTOMER SUPPORT SERVICES.

Electrolytic Copper & Aluminum ensures longer life for conductor. Bunching/twisting of ministrants as per international standards.
Proper annealing gives softness & flexibility.

Insulation -grade PVC stands high temperatures.
Higher DI-electric strength insulation used.
Weather proof sheathing/insulation material.
Grease/Oil resistant properties.
Voltage fluctuations don't affect.
Resistant to fire hazards.
Self fire-extinguishing & flame proof cables.
Rigid quality controls conforms to-specification.
Chemicals and microbiological attacks don't affect.
No damage due to severe bending while laying.
Immune to fluctuations in temperatures.
Fire Insurance approved.

Description Design

Cable with Copper / Aluminium Conductors PVC insulated colour coded cores laid extruded PVC inner sheathed overall PVC sheathed armored / unarmored cables.

Tests

Testing is a very important part of cable manufacture and all raw materials and finished cables must be thoroughly tested to ensure the quality of cables. ZION COMMUNICATION has a well equipped test fields and electrical, mechanical and chemical laboratories capable of carrying out all tests which are required as per relevant specifications. The most modern testing equipment is installed in these laboratories.





Description

A security alarm is a system designed to detect intrusion into a building or other area. Security alarms are used in residential, commercial, industrial, and military properties for protection against burglary or property damage, as well as personal protection against intruders. Security Alarm Cable from HANGZHOU ZION COMMUNICATION CO.,LTD is available in a variety of constructions to meet the needs of different applications and environments. ZION offers shielded and unshielded cables with the international standard within the industry. Common security alarm cable applications include wiring for intercoms, security systems, audio systems, background music systems, and power-limited control circuits. If you do not find the product you need in then we offer the option of a special custom design cable. Here you can choose between different constructions, jacket color or other materials etc.

Price:

You can get ultimate reasonable factory price of the Security Alarm Cable itself from us!

Service:

You will enjoy best service from our export team on price for import and export, shipping time, documents and custom policy, which will save cost ultimately and create biggest value for you.

Quality Guarantee:

You will received 100% quality pass testing before sending to our customers; also we are responsible for all products during it's normal lifetime.

**CLOSE TO
CUSTOMERS.**






0.2mm² = 0.5mm 711100 (KCBB)



Catalog No.	Cond.Type	Inner Jacket Type	Drain Wire	Rip Cord	Outer Jacket Type	
2×0.2mm ² SOL-U NO.7111001	2 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.00mmPVC	
4×0.2mm ² SOL-U NO.7111002	4 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.50mmPVC	
6×0.2mm ² SOL-U NO.7111003	6 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.20mmPVC	
8×0.2mm ² SOL-U NO.7111004	8 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.50mmPVC	
10×0.2mm ² SOL-U NO.7111005	10 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.30mmPVC	
12×0.2mm ² SOL-U NO.7111006	12 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.50mmPVC	
16×0.2mm ² SOL-U NO.7111007	16 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.00mmPVC	
24×0.2mm ² SOL-U NO.7111008	24 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	7.30mmPVC	






0.125mm² = 0.4mm 711101 (KCBB)



Catalog No.	Cond.Type	Inner Jacket Type	Drain Wire	Rip Cord	Outer Jacket Type	
2×0.4mm SOL-U NO.7111011	2×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	2.8mm PVC	
4×0.4mm SOL-U NO.7111012	4×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	3.1mm PVC	
6×0.4mm SOL-U NO.7111013	6×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	3.5mm PVC	
8×0.4mm SOL-U NO.7111014	8×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	3.9mm PVC	
10×0.4mm SOL-U NO.7111015	10×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	4.5mm PVC	
12×0.4mm SOL-U NO.7111016	12×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	4.8mm PVC	
16×0.4mm SOL-U NO.7111017	16×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	5.4mm PVC	
24×0.4mm SOL-U NO.7111018	24×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	Cotton Wire	6.5mm PVC	






0.2mm² = 0.5mm 711105 (KCBЭB)



Catalog No.	Cond.Type	Dielectric	Color Code	Drain Wire	Shield	Rip Cord	Jacket Type	
2×0.2mm ² SOL-S NO.7111051	2 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.10mmPVC	
4×0.2mm ² SOL-S NO.7111052	4 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.60mmPVC	
6×0.2mm ² SOL-S NO.7111053	6 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.30mmPVC	
8×0.2mm ² SOL-S NO.7111054	8 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.60mmPVC	
10×0.2mm ² SOL-S NO.7111055	10 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.40mmPVC	
12×0.2mm ² SOL-S NO.7111056	12 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.50mmPVC	
16×0.2mm ² SOL-S NO.7111057	16 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	6.10mmPVC	
24×0.2mm ² SOL-S NO.7111058	24 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	7.30mmPVC	






0.125mm² = 0.4mm 711106 (KCBЭB)




Catalog No.	Cond.Type	Inner Jacket Type	Drain Wire	Shield	Rip Cord	Outer Jacket Type	
2×0.4mm SOL-S NO.7111061	2×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.0mm PVC	
4×0.4mm SOL-S NO.7111062	4×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.3mm PVC	
6×0.4mm SOL-S NO.7111063	6×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.7mm PVC	
8×0.4mm SOL-S NO.7111064	8×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	4.1mm PVC	
10×0.4mm SOL-S NO.7111065	10×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	4.7mm PVC	
12×0.4mm SOL-S NO.7111066	12×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.0mm PVC	
16×0.4mm SOL-S NO.7111067	16×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.6mm PVC	
24×0.4mm SOL-S NO.7111068	24×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	0.40mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	6.7mm PVC	





0.22mm² = 7/0.2mm 711110 (КСВВГ, КСВВГл)


Catalog No.	Cond.Type	Dielectric	Color Code	Rip Cord	Jacket Type	
2×0.22mm ² STR-U NO.7111101	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.00mmPVC	
4×0.22mm ² STR-U NO.7111102	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.50mmPVC	
6×0.22mm ² STR-U NO.7111103	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.10mmPVC	
8×0.22mm ² STR-U NO.7111104	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.50mmPVC	
10×0.22mm ² STR-U NO.7111105	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.20mmPVC	
12×0.22mm ² STR-U NO.7111106	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.40mmPVC	
14×0.22mm ² STR-U NO.7111107	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.80mmPVC	
20×0.22mm ² STR-U NO.7111108	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.80mmPVC	
30×0.22mm ² STR-U NO.7111109	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	8.40mmPVC	
40×0.22mm ² STR-U NO.7111110	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	10.0mmPVC	





0.16mm² = 7/0.17mm 711111 (KCBBГ, KCBBГЛ)


Catalog No.	Cond.Type	Inner Jacket Type	Drain Wire	Rip Cord	Outer Jacket Type
2×0.16mm ² STR-U NO.7111111	2×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	2.8mm PVC
4×0.16mm ² STR-U NO.7111112	4×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	3.1mm PVC
6×0.16mm ² STR-U NO.7111113	6×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	3.5mm PVC
8×0.16mm ² STR-U NO.7111114	8×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	3.9mm PVC
10×0.16mm ² STR-U NO.7111115	10×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	4.5mm PVC
12×0.16mm ² STR-U NO.7111116	12×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	4.8mm PVC
14×0.16mm ² STR-U NO.7111117	14×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	5.1mm PVC
16×0.16mm ² STR-U NO.7111118	16×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	5.4mm PVC
18×0.16mm ² STR-U NO.7111119	18×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	5.6mm PVC
20×0.16mm ² STR-U NO.7111120	20×1/0.40mm TC/BC/CCA/TCCA	0.85mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	6.0mm PVC





0.12mm² = 7/0.15mm 711112 (KCBBГ, KCBBГЛ)

Catalog No.	Cond.Type	Inner Jacket Type	Drain Wire	Rip Cord	Outer Jacket Type	
2×0.12mm ² STR-U NO.7111121	2×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	2.8mm PVC	
4×0.12mm ² STR-U NO.7111122	4×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	3.1mm PVC	
6×0.12mm ² STR-U NO.7111123	6×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	3.5mm PVC	
8×0.12mm ² STR-U NO.7111124	8×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	3.9mm PVC	
10×0.12mm ² STR-U NO.7111125	10×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	4.5mm PVC	
12×0.12mm ² STR-U NO.7111126	12×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	4.8mm PVC	
14×0.12mm ² STR-U NO.7111127	14×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	5.1mm PVC	
16×0.12mm ² STR-U NO.7111128	16×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	5.4mm PVC	
18×0.12mm ² STR-U NO.7111129	18×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	5.6mm PVC	
20×0.12mm ² STR-U NO.7111130	20×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	Cotton Wire	6.0mm PVC	






0.22mm² = 7/0.2mm 711115 (КСВЭВГ, КСВЭВГЛ)



Catalog No.	Cond.Type	Dielectric	Color Code	Drain Wire	Shield	Rip Cord	Jacket Type	
2×0.22mm ² STR-S NO.7111151	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.10mmPVC	
4×0.22mm ² STR-S NO.7111152	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.60mmPVC	
6×0.22mm ² STR-S NO.7111153	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.20mmPVC	
8×0.22mm ² STR-S NO.7111154	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.60mmPVC	
10×0.22mm ² STR-S NO.7111155	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.30mmPVC	
12×0.22mm ² STR-S NO.7111156	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.50mmPVC	
14×0.22mm ² STR-S NO.7111157	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.90mmPVC	
20×0.22mm ² STR-S NO.7111158	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	6.90mmPVC	
30×0.22mm ² STR-S NO.7111159	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	8.50mmPVC	
40×0.22mm ² STR-S NO.7111160	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	10.0mmPVC	






Security Alarm Cable

ZION
Communication
HELLOSIGNAL®

0.16mm² = 7/0.17mm 711116 (КСВЭВГ, КСВЭВГЛ)



Catalog No.	Cond.Type	Inner Jacket Type	Drain Wire	Shield	Rip Cord	Outer Jacket Type	
2×0.16mm ² STR-S NO.7111161	2×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.1mm PVC	
4×0.16mm ² STR-S NO.7111162	4×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.3mm PVC	
6×0.16mm ² STR-S NO.7111163	6×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.7mm PVC	
8×0.16mm ² STR-S NO.7111164	8×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	4.1mm PVC	
10×0.16mm ² STR-S NO.7111165	10×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	4.7mm PVC	
12×0.16mm ² STR-S NO.7111166	12×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.0mm PVC	
14×0.16mm ² STR-S NO.7111167	14×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.3mm PVC	
16×0.16mm ² STR-S NO.7111168	16×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.6mm PVC	
18×0.16mm ² STR-S NO.7111169	18×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.8mm PVC	
20×0.16mm ² STR-S NO.7111170	20×7/0.17mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.17mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	6.2mm PVC	






0.12mm² = 7/0.15mm 711117 (КСВЭВГ, КСВЭВГЛ)



Catalog No.	Cond.Type	Inner Jacket Type	Drain Wire	Shield	Rip Cord	Outer Jacket Type	
2×0.12mm ² STR-S NO.7111171	2×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.1mm PVC	
4×0.12mm ² STR-S NO.7111172	4×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.3mm PVC	
6×0.12mm ² STR-S NO.7111173	6×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	3.7mm PVC	
8×0.12mm ² STR-S NO.7111174	8×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	4.1mm PVC	
10×0.12mm ² STR-S NO.7111175	10×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	4.7mm PVC	
12×0.12mm ² STR-S NO.7111176	12×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.0mm PVC	
14×0.12mm ² STR-S NO.7111177	14×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.3mm PVC	
16×0.12mm ² STR-S NO.7111178	16×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.6mm PVC	
18×0.12mm ² STR-S NO.7111179	18×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	5.8mm PVC	
20×0.12mm ² STR-S NO.7111180	20×7/0.15mm TC/BC/CCA/TCCA	0.9mm PVC	7/0.15mm TC/BC/CCA/TCCA	0.038mm Al/PET	Cotton Wire	6.2mm PVC	





0.22+0.5 or 0.75 71112

Catalog No.	Party 1 Conductor		Dielectric	Party 2 Conductor		Dielectric	Color Code	Rip Cord	Jacket Type
2×0.50+ 2×0.22mm² STR-U NO.7111201	2×(16/0.20mm) TC/BC/ CCA/TCCA		1.50mm PVC	2×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	3.90mm PVC
2×0.50+ 4×0.22mm² STR-U NO.7111202	2×(16/0.20mm) TC/BC/ CCA/TCCA		1.50mm PVC	4×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	4.50mm PVC
2×0.50+ 6×0.22mm² STR-U NO.7111203	2×(16/0.20mm) TC/BC/ CCA/TCCA		1.50mm PVC	6×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	4.90mm PVC
2×0.50+ 8×0.22mm² STR-U NO.7111204	2×(16/0.20mm) TC/BC/ CCA/TCCA		1.50mm PVC	8×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	5.70mm PVC
2×0.50+ 10×0.22mm² STR-U NO.7111205	2×(16/0.20mm) TC/BC/ CCA/TCCA		1.50mm PVC	10×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	6.00mm PVC
2×0.50+ 12×0.22mm² STR-U NO.7111206	2×(16/0.20mm) TC/BC/ CCA/TCCA		1.50mm PVC	12×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	6.30mm PVC
Catalog No.	Party 1 Conductor	Dielectric	Color Code	Party 2 Conductor	Dielectric	Color Code	Drain Wire	Shield	Jacket Type
2×0.50+ 2×0.22mm² STR-S NO.7111221	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	2×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	4.00mm PVC
2×0.50+ 4×0.22mm² STR-S NO.7111222	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	4×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	4.60mm PVC
2×0.50+ 6×0.22mm² STR-S NO.7111223	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	6×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	5.00mm PVC
2×0.50+ 8×0.22mm² STR-S NO.7111224	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	8×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	5.80mm PVC
2×0.50+ 10×0.22mm² STR-S NO.7111225	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	10×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	6.40mm PVC
2×0.50+ 12×0.22mm² STR-S NO.7111226	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	12×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	6.40mm PVC



0.22+0.5 or 0.75 71112

Catalog No.	Party 1 Conductor	Dielectric	Party 2 Conductor		Dielectric	Color Code	Rip Cord	Jacket Type
2×0.75+ 2×0.22mm² STR-U NO.7111241	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	2×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	4.20mm PVC
2×0.75+ 4×0.22mm² STR-U NO.7111242	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	4×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	4.90mm PVC
2×0.75+ 6×0.22mm² STR-U NO.7111243	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	6×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	5.30mm PVC
2×0.75+ 8×0.22mm² STR-U NO.7111244	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	8×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	6.20mm PVC
2×0.75+ 10×0.22mm² STR-U NO.7111245	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	10×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	6.40mm PVC
2×0.75+ 12×0.22mm² STR-U NO.7111246	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	12×(7/0.20mm) TC/BC/ CCA/TCCA		0.95mm PVC	Black/Red	Cotton Wire	6.70mm PVC
Catalog No.	Party 1 Conductor	Dielectric	Party 2 Conductor	Dielectric	Rip Cord	Drain Wire	Shield	Jacket Type
2×0.75+ 2×0.22mm² STR-S NO.7111261	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	2x(7/0.20mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	4.3mm PVC
2×0.75+ 4×0.22mm² STR-S NO.7111262	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	4x(7/0.20mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	5.0mm PVC
2×0.75+ 6×0.22mm² STR-S NO.7111263	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	6x(7/0.20mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	5.4.0mm PVC



0.22+0.5 or 0.75 71112

Catalog No.	Party 1 Conductor	Dielectric	Party 2 Conductor	Dielectric	Rip Cord	Drain Wire	Shield	Jacket Type
2×0.75+ 8×0.22mm² STR-S NO.7111264	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	8x(7/0.20mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/CCA /TCCA	Aluminum Foil	5.8mm PVC
2×0.75+ 10×0.22mm² STR-S NO.7111265	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	10x(7/0.20mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/CCA /TCCA	Aluminum Foil	6.1mm PVC
2×0.75+ 12×0.22mm² STR-S NO.7111266	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	12x(7/0.20mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/CCA /TCCA	Aluminum Foil	6.4mm PVC

UL 71113

Catalog No.	Cond.Type	Dielectric	Rip Cord	Jacket
22/2 STR-U NO.7111301	(22AWG 7/30 Stranded Bare Copper) X 2 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.124"(3.1mm) PVC
22/3 STR-U NO.7111302	(22AWG 7/30 Stranded Bare Copper) X 3 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.129"(3.28mm) PVC
22/4 STR-U NO.7111303	(22AWG 7/30 Stranded Bare Copper) X 40. 025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.156"(3.96mm) PVC
22/6 STR-U NO.7111304	(22AWG 7/30 Stranded Bare Copper) X 6 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.164"(4.17mm) PVC
22/8 STR-U NO.7111305	(22AWG 7/30 Stranded Bare Copper) X 8 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.180"(4.57mm) PVC
22/10 STR-U NO.7111306	(22AWG 7/30 Stranded Bare Copper) X 10 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.211"(5.38mm) PVC
22/12 STR-U NO.7111307	(22AWG 7/30 Stranded Bare Copper) X 12 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.218"(5.56mm)) PVC



UL 71113

Catalog No.	Cond.Type	Dielectric	Rip Cord	Jacket	
18/2 STR-U NO.7111311	(18 AWG 7/26 Stranded Bare Copper) X 2 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.156"(3.96mm) PVC	
18/3 STR-U NO.7111312	(18AWG 7/26 Stranded Bare Copper) X 3 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.166"(4.22mm) PVC	
18/4 STR-U NO.7111313	(18AWG 7/26 Stranded Bare Copper) X 4 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.187"(4.75mm) PVC	
18/6 STR-U NO.7111314	(18AWG 7/26 Stranded Bare Copper) X 60. 04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.225"(5.72mm) PVC	
18/8 STR-U NO.7111315	(18AWG 7/26 Stranded Bare Copper) X 8 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.244"(6.22mm) PVC	
18/10 STR-U NO.7111316	(18AWG 7/26 Stranded Bare Copper) X 10 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.281"(7.16mm) PVC	
18/12 STR-U NO.7111317	(18AWG 7/26 Stranded Bare Copper) X 12 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.290"(7.39mm) PVC	
16/2 STR-U NO.7111321	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	Polypropylene 0.078"(2.00mm)	Cotton Wire	0.178"(4.52mm) PVC	
16/3 STR-U NO.7111322	(16 AWG 19/0.0117" Stranded Bare Copper) X 3 0.051"(1.29mm)	Polypropylene 0.078"(2.00mm)	Cotton Wire	0.193"(4.90mm) PVC	
16/4 STR-U NO.7111323	(16 AWG 19/0.0117" Stranded Bare Copper) X 4 0.051"(1.29mm)	Polypropylene 0.078"(2.00mm)	Cotton Wire	0.209"(5.33mm) PVC	
14/2 STR-U NO.7111331	(14 AWG 19/0.0147" Stranded Bare Copper) X 2 0.064"(1.63mm)	Polypropylene 0.0925"(2.35mm)	Cotton Wire	0.224"(5.69mm) PVC	
14/4 STR-U NO.7111332	(14 AWG 19/0.0147" Stranded Bare Copper) X 4 0.064"(1.63mm)	Polypropylene 0.0925"(2.35mm)	Cotton Wire	0.264"(6.71mm) PVC	
12/2 STR-U NO.7111341	(12AWG 19/0.0185 " Stranded Bare Copper) X 2 0.081"(2.05mm)	Polypropylene 0.081"(2.05mm)	Cotton Wire	0.259"(6.6mm) PVC	
12/4 STR-U NO.7111342	(12AWG 19/0.0185 " Stranded Bare Copper) X4 0.081"(2.05mm)	Polypropylene 0.114"(2.9mm)	Cotton Wire	0.311"(7.92mm) PVC	



UL 71113

Catalog No.	Cond.Type	Dielectric	Shield	Rip Cord	Jacket	
22/2 STR-S NO.7111351	(22AWG 7/30 Stranded Bare Copper) X 2 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Aluminum Foil	Cotton Wire	0.131"(3.35mm) PVC	
22/3 STR-S NO.7111352	(22AWG 7/30 Stranded Bare Copper) X 3 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/ Mylar tape	Cotton Wire	0.134"(3.42mm) PVC	
22/4 STR-S NO.7111353	(22AWG 7/30 Stranded Bare Copper) X 4 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.134"(3.73mm) PVC	
22/6 STR-S NO.7111354	(22AWG 7/30 Stranded Bare Copper) X 6 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.131"(3.35mm) PVC	
22/8 STR-S NO.7111355	(22AWG 7/30 Stranded Bare Copper) X 8 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.194"(4.95mm) PVC	
22/10 STR-S NO.7111356	(22AWG 7/30 Stranded Bare Copper) X 10 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.217"(5.53mm) PVC	
22/12 STR-S NO.7111357	(22AWG 7/30 Stranded Bare Copper) X 12 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.228"(5.80mm) PVC	
18/4 STR-S NO.7111363	(18AWG 7/26 Stranded Bare Copper) X 4 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.186"(4.74mm) PVC	
18/6 STR-S NO.7111364	(18AWG 7/26 Stranded Bare Copper) X 6 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.229"(5.84mm) PVC	
18/8 STR-S NO.7111365	(18AWG 7/26 Stranded Bare Copper) X 8 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.250"(6.35mm) PVC	
18/10 STR-S NO.7111366	(18AWG 7/26 Stranded Bare Copper) X 10 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.286"(7.28mm) PVC	
18/12 STR-S NO.7111367	(18AWG 7/26 Stranded Bare Copper) X 12 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.295"(7.51mm) PVC	



UL 71113

Catalog No.	Cond.Type	Dielectric	Shield	Rip Cord	Jacket	
16/2 STR-S NO.7111371	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	0.078"(2.00mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.189"(4.80mm) PVC	
16/3 STR-S NO.7111372	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	0.078"(2.00mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.197"(5.02mm) PVC	
16/4 STR-S NO.7111373	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	0.078"(2.00mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.218"(5.56mm) PVC	
14/2 STR-S NO.7111381	(14 AWG 19/0.0147" Stranded Bare Copper) X 2 0.064"(1.63mm)	0.0925"(2.35mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.244"(6.22mm) PVC	
14/4 STR-S NO.7111382	(14 AWG 19/0.0147" Stranded Bare Copper) X 2 0.064"(1.63mm)	0.0925"(2.35mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.262"(6.68mm) PVC	
12/2 STR-S NO.7111391	(12AWG 19/0.0185 " Stranded Bare Copper) X 2 0.081"(2.05mm)	0.0925"(2.35mm) Polypropylene	0.114"(2.9mm) Alum/Mylar tape	Cotton Wire	0.280"(7.13mm) PVC	
12/4 STR-S NO.7111392	(12AWG 19/0.0185 " Stranded Bare Copper) X 2 Nom.Dia:0.081"(2.05mm)	0.114"(2.9mm) Polypropylene	0.114"(2.9mm) Alum/Mylar tape	Cotton Wire	0.311"(7.92mm) PVC	

Mylar Cable 71114



Catalog No.	Cond.Type	Dielectric	Shield 1	Drain Wire	Shield 2	Rip Cord	Jacket	
2×0.22mm² NO.7111401	2 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	3.20mm PVC	
4×0.22mm² NO.7111402	4 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	4.0mm PVC	
6×0.22mm² NO.7111403	6 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	4.6mm PVC	
8×0.22mm² NO.7111404	8 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.3mm PVC	
10×0.22mm² NO.7111405	10 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.70mm PVC	
12×0.22mm² NO.7111406	12 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.30mm PVC	



Mylar Cable 71114



Catalog No.	Cond.Type	Dielectric	Shield 1	Drain Wire	Shield 2	Rip Cord	Jacket	
14×0.22mm ² NO.7111407	14 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.70mm PVC	
16×0.22mm ² NO.7111408	16 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.10mm PVC	
18×0.22mm ² NO.7111409	18 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.60mm PVC	
20×0.22mm ² NO.7111410	20 x (7/0.20mm TC/BC/ CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.90mm PVC	
2×0.50mm ² NO.7111421	2 x (16/0.20mm TC/BC/ CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	4.20mm PVC	
4×0.50mm ² NO.7111422	4 x (16/0.20mm TC/BC/ CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.40mm PVC	
6×0.50mm ² NO.7111423	6 x (16/0.20mm TC/BC/ CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.60mm PVC	
8×0.50mm ² NO.7111424	8 x (16/0.20mm TC/BC/ CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.40mm PVC	
12×0.50mm ² NO.7111425	12 x (16/0.20mm TC/BC/ CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	8.90mm PVC	
16×0.50mm ² NO.7111426	16 x (16/0.20mm TC/BC/ CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	10.10mm PVC	



Mylar Cable 71114



Catalog No.	Cond.Type	Dielectric	Shield 1	Drain Wire	Shield 2	Rip Cord	Jacket	
2×1.00mm ² NO.7111441	2 x (32/0.20mm TC/BC/ CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.00mm PVC	
4×1.00mm ² NO.7111442	4 x (32/0.20mm TC/BC/ CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.55mm PVC	
6×1.00mm ² NO.7111443	6 x (32/0.20mm TC/BC/ CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.95mm PVC	
8×1.00mm ² NO.7111444	8 x (32/0.20mm TC/BC/ CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	8.95mm PVC	
12×1.00mm ² NO.7111445	8 x (32/0.20mm TC/BC/ CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	12.30mm PVC	
2×1.50mm ² NO.7111461	2 x (48/0.20mm TC/BC/ CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.20mm PVC	
4×1.50mm ² NO.7111446	4 x (48/0.20mm TC/BC/ CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	8.20mm PVC	
6×1.50mm ² NO.7111463	6 x (48/0.20mm TC/BC/ CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	9.90mm PVC	
8×1.50mm ² NO.7111464	8 x (48/0.20mm TC/BC/ CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	11.20mm PVC	
12×1.50mm ² NO.7111465	12 x (48/0.20mm TC/BC/ CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	13.50mm PVC	
16×1.50mm ² NO.7111466	16 x (48/0.20mm TC/BC/ CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/ CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	15.30mm PVC	




Packing :

Length : 100M, 200M, 300M,305M,500M,1000M or as customer need

Manner : Reel with PET, Plastic Spool, Wooden Spool, carton, pull box, pallet.



Quality




Professional



Safety






HANGZHOU ZION COMMUNICATION CO.,LTD

*Focus on customer needs,
provide competitive signal transmission products and services,
continue to create maximum value for customers!*

ZION COMMUNICATION
*To be the primary provider of the products and services
in the field of signal transmission all over the world!*



For more information, please visit us at:
www.zion-communication.com



■ CONNECT US



ADD: NO.68,HuaQiao Road,JinCheng,Lin'an,
Zhejiang,China,311300
TEL: +86 571 63804414
FAX: +86-571-63804424
Email: info@zion-communication.com